



# Specification Sheet

# BoneDry™ WPT

**DryDog Barriers • 888-5-DRYDOG**

**BoneDry™ WPT** Waterproofing Membrane is a modified asphalt emulsion developed for use as a high quality below grade waterproofing barrier. **BoneDry™ WPT's** low vapor permeance, outstanding adhesion, and superior combination of hardness and flexibility make it your best choice for any below grade waterproofing application.

**BoneDry™ WPT** is an air cure membrane that will be fully cured in 24 hours. Our polymer modified membrane can be used in conjunction with many types of protection/drainage boards to achieve the best system for your specific applications. For detailed application instructions contact Dry Dog Barriers at **1-888-5-DRYDOG**

Property	Test Method	Value
Color		Black/Brown
Non Volatile Solids		63% ± 2%
Density		8.3 lbs/gal.
Coverage Rate		25 sq. ft./gal.
Thickness		40 mil (Dry)
Elongation	ASTM D-412	> 1900%
Tensile Strength	ASTM D-412	38 psi
Adhesion to Concrete	ASTM C-836	Exceeds
Water Degradation	ASTM D-2939	No Degradation
Water Vapor Permeance	ASTM E-96 Wet	0.0267 gr/hr*sq.ft.
Mold Growth & Bacterial Attack	ASTM D-3273, 3274	No Degradation
Low Temp Flexibility	ASTM C-836	No Cracking
Crack Bridging	ASTM C-836	No Loss of Adhesion
Hardness	ASTM C-836	75

**For more application information visit**  
[www.drydogbarriers.com](http://www.drydogbarriers.com)  
**or email us**  
[info@drydogbarriers.com](mailto:info@drydogbarriers.com)

## Applications

- Masonry Foundations
- Poured Foundations
- Pre-Cast Foundations
- Horizontal Waterproofing
- Transition Detailing
- Planters
- Retaining Walls
- Cavity Wall air barrier
- Seamless Flashing



BoneDry™ WPT waterproofing membrane shown with available 12" DrainMax™ foundation strip drain to make the BD1000 Waterproofing System

The information and recommendations discussed in this publication are believed to be correct. The ASTM testing is conducted by an independent accredited laboratory. No statement should be construed as a recommendation for any use, which would violate any patent rights. This document is not a guarantee of a warranty, if approved by DryDog Barriers, a performance warranty may be granted.

BoneDry™ WPT  
Issue: A  
Revision: 1  
Date: 07/06/07